NASA Satellite Remote Sensing and Model Products at MAIRS Data Portal

Suhung Shen^{1,2}, Gregory G. Leptoukh¹, Irina Gerasimov^{1,3},

¹ NASA Goddard Earth Sciences (GES) Data & Information Services Center (DISC), Code 610.2, NASA/GSFC, Maryland 20771, USA ²George Mason University, ³ADNET

Overview

Following successful support of the Northern Eurasia Earth Sciences Partner Initiative (NEESPI) project with NASA satellite remote sensing data, from Spring 2009 the NASA GES DISC (Goddard Earth Sciences Data and Information Services Center) has been working on collecting more satellite and model data to support the Monsoon Asia Integrated Regional Study (MAIRS) project. The established data management and service infrastructure developed for NEESPI has been used and improved for MAIRS-GES DISC: Goddard Earth S... MAIRS support. Data search, subsetting, and download functions are available through a single system. A customized Giovanni system has been created for MAIRS. The Web-based online data + ATMOS COMPOSITION + HYDROLOGY analysis and visualization system, Giovanni (Goddard Interactive Online Visualization ANd aNalysis Infrastructure) allows scientists to explore, quickly analyze, and download data easily without learning the original data structure and format. Giovanni MAIRS includes satellite observations from multiple sensors and model output from the NASA Global Land Data Assimilation System (GLDAS), and from the NASA atmospheric reanalysis project, MERRA. Currently, we are working on processing and integrating higher resolution land data into Giovanni, such as vegetation index, land surface temperature, and active fire at 5km or 1km from the standard MODIS products. For data that are not archived at the GES DISC, a product metadata portal is under development to serv as a gateway for providing product level information and data access links, which include both satellite, model products and ground-based measurements information collected from MAIRS scientists. Due to the large overlap of geographic coverage and many similar scientific interests of NEESPI and MAIRS, these data and tools will serve both projects.

http://disc.gsfc.nasa.gov/mairs

Products in Giovanni NEESPI for MAIRS							Products in G			
Group	Parameter Name	Sensor Name	Available since	Time Interval	Spatial Resolution (deg)	Group	Parameter Name			
Atmosphere	Aerosol Optical Depth at 0.55 micron and small mode fraction	MODIS-Terra MODIS-Aqua	2000.02 2002.07	Monthly Daily	1x1		Winds, Pressure, Geopotential Height, Air Temperature, Water Vapor			
	Atmospheric Water Vapor	MODIS-Terra MODIS-Aqua	2000.02 2002.07	Monthly Daily	1x1	Meteorology	GPCP precipitation			
	Cloud Fraction, Cloud Optical Depth	MODIS-Terra MODIS-Aqua	2000.02 2002.07	Monthly Daily	1x1	& Atmospheric Chemistry	Aerosol Optical Depth			
	Column Amount Ozone	Aura OMI	2004.08	Daily	1x1		NO2			
	UV Aerosol Index	Aura OMI	2004.08	Daily	1x1		CH4 CO O			
	Optical Depth of Dust, Black Carbon, Sulfate	GOCART	2000.01	Monthly Daily	2.5x2		CH4, CO, O ₃ Land Cover Type & Dynamics			
	GPCP precipitation	GPCP Derived	1979.01	Monthly Daily	1x1		Vegetation Indices			
Land Surface	Fire Pixel Count/Fire radiative power	MODIS-Terra MODIS-Aqua	2000.11 2002.07	Monthly	1x1					
	Enhanced Vegetation Index (EVI)	MODIS-Terra MODIS-Aqua	2000.02 2002.07	Monthly	1x1	Land Surface	Land Surface Temperature Thermal anomalies/Fire			
	Normalized Difference Vegetation Index (NDVI)	MODIS-Terra MODIS-Aqua	2000.02 2002.07	Monthly	1x1		Total Evapotranspiration, Snow			
	Land Surface Temperature	MODIS-Terra	2000.03	Monthly	1x1		Water Equivalent			
	Soil Moisture	AMSR-E	2002.10	Monthly	1x1		Surface Runoff, Soil Moisture			
	Surface Air/Skin Temperature	AIRS	2002.08	Monthly Daily	1x1	Ocean	Chlorophyll a concentration			
						Ocean	Sea surface temperature			
	Land Cover Type	MODIS Terra	2001.01	Monthly	1x1	Socio-	Nighttime Lights			
Cryosphere	Ice Occurrence Frequency	NESDIS/IMS	2000.01	Monthly	1x1	economic	Taghtime Lights			
	Snow Occurrence Frequency	NESDIS/IMS	2000.01	monthly	1x1	Note: Products of temporal interval with text				

Group	Parameter Name	Sensor/Model	Available Since	Time Interval	Spatial res.(deg)
	Winds, Pressure, Geopotential Height, Air Temperature, Water Vapor	MERRA	1979.01	Monthly	2/3 x 1/2
Meteorology &	GPCP precipitation	GPCP	1979.01	Monthly Daily	1.0x1.0
Atmospheric Chemistry	Aerosol Optical Depth	MODIS	2000.02	Monthly Daily	1.0x1.0
	NO2	OMI	2004.08	Daily	0.25x0.25
	CH4, CO, O ₃	AIRS	2002.08	Monthly Daily	1x1
	Land Cover Type &Dynamics	MODIS (MOD12Q1)	2001	Yearly	1 km
	Vegetation Indices	MODIS (MOD13A1)	2000.03	Monthly 16-day	1.0x1.0 1 km, 5 km
Land Surface	Land Surface Temperature	MODIS (MOD11A2)	2001.03	Monthly 8-Day	1.0x1.0 1 km
	Thermal anomalies/Fire	MODIS (MOD14A2)	2000.03	Monthly 8-Day	1.0x1.0 1 km
	Total Evapotranspiration, Snow Water Equivalent	GLDAS	1979.01	Monthly	1x1
	Surface Runoff, Soil Moisture	GLDAS	1979.01	Monthly	1x1
Occar	Chlorophyll a concentration	SeaWiFS	1997.09	Monthly	9 km
Ocean	Sea surface temperature	MODIS-Terra	2000.02	Monthly	9 km
Socio- economic	Nighttime Lights	DMSP-OLS	1992-2003	yearly	1 km

LCLUC Science Team Meeting

April 20-22, 2010


Bethesda Maryland

Suhung.Shen@nasa.gov


ext color in RED are future products

Sample Plots through Giovanni: Online Visualization and Analysis System

Dust Storm and Variations of Aerosols




A dust storm observed from MODIS (left, true color image) and OMI UV aerosol index (middle and right)



Time series of the AOD anomaly over southeastern China, showing a significant positive trend since 2000.


Monitoring Coastal Water Quality



Yangtze River Delta and Pearl River Delta.

Recent LST Trend over Eastern China


A sample of using higher resolution data




MODIS Terra 1km resolution summer (Jun, Jul, Aug) daytime Land Surface Temperature (LST) trend for years from 2001 – 2009 over eastern China, near Beijing-Tianjing (left) and Yangtze River Delta (right) shows warming trends in the rapid urbanization zone (surrounding area of cities), and slightly cooling trends in the originally developed (center of city) and less developed rural areas. The images are displayed in GoogleEarth and with an added layer "Road" (orange lines).


NASA Assimilation Models: MERRA and GLDAS

Selected NASA thirty-year (1979-present) atmospheric observation reanalysis products (MERRA) and land surface assimilation models (GLDAS) products are integrated into Giovanni MAIRS.



Wind vertical profiles over an area (80° W – 85°W) 33°N-38°N) for U component (left panel) and V component (right panel) in July 1980 (MERRA).






From left to right, annual mean of rain rate, total evapotranspiration, and soil moisture for year 2008 over Asia Monsoon region (GLDAS).

Advanced Data Access Tools and Services

Search and Download Data using Mirador

Mirador is a new search and order Web tool developed by the GES DISC. It has a drastically simplified, clean interface and employs the Google mini appliance for metadata keyword searches. Other features include project navigation, and semantic oriented parameter navigation based on science areas.



http://gsfc.nasa.gov/giovanni

Single Parameter Exploration:

- Lat–Lon area plots of time-averaged parameters
- Time-series plots of area-averaged parameters
- Latitude/Longitude

 —Time Hovmöller diagram
- Animations of consecutive Lat–Lon area plots

Multi-parameter Intercomparison:

- Lat–Lon area plots of overlain time-averaged parameters
- Time-series plots of multiple parameters
- Time-series of two-parameter differences
- Lat–Lon area plot of two-parameter differences
- Scatter plots with regression statistics
- Temporal correlation maps **Download**
- data in formats: ASCII, HDF, netCDF
- image: PNG, KMZ for Google Earth

Other Features:

Mandadan.

THE CASE STATE OF THE PARTY OF

Glovanni Maria de nema de la companya de la company

Cres Street Sec. West, Sciences, Party 18-51

Parameters


Store Parameter Units

Assessment Store

D 18 x 10 September Store Units

- Provides WMS: allows other web server to generate maps by using Giovanni as a back engine
- Current Input data formats: HDF-4, HDF-5, HDF-EOS, netCDF, and binary
- · Able to fetch input data from local and different remote systems

Further Service: Metadata Gateway



Acknowledgments:

The project is supported by NASA through ROSES 2008 (NNH08ZDA001N-LCLUC). The authors wish to express great appreciation for the technical support of the Giovanni, Mirado,r and S4PA working groups at GES DISC.